

高速式三轴伺服机械手

High-Speed Three-Axis Servo Driven Robots

HDW-80


注塑用机械手
TAKE-OUT ROBOT

HDW-80

Injection Press Range
100 ~ 220ton

256
115 × 2

| 型式 MODEL | 单位 UNIT | HDW-80 |
|----------|---------|--------|
|----------|---------|--------|



外形尺寸 OUTER DIMENSIONS

HDW-80

选项功能 OPTION FUNCTION

| | | |
|---|---|--------|
| A | Overall height | 1310mm |
| B | Overall length | 2160mm |
| C | Traverse stroke | 1600mm |
| D | Main- arm vertical stroke | 900mm |
| E | Main- arm vertical standby | 170mm |
| F | Bottom of crosswise to chuck mount position | 330mm |
| G | Base side face- Box end | 375mm |
| H | Sub- arm Vertical standby | --- |
| I | Main- arm reach max | 680mm |
| J | Main- arm crosswise stroke max | 500mm |
| K | Main- arm crosswise standby min | 180mm |
| L | Main/Sub- arm proximity min | --- |
| M | Sub- arm crosswise stroke max | --- |
| N | Sub- arm crosswise standby min | --- |
| O | Crosswise arm end- Box end | 1170mm |

| |
|--|
| Air nipper in chuck circuit |
| NT |
| NT gate cutting on crossmember of moving |
| 2 |
| Additional vacuum sensing unit |
| 2 circuits |
| 2 |
| Product gripping |
| 2 circuits |
| Mold close during ascend |
| Rotation unit |
| Ejector return link |
| 12 |
| EUROMAP 12 |
| 67 |
| EUROMAP 67 |

Feature and scope of the product does not guarantee the product attributes, only for reference. Our scope of delivery and services provided are based solely on the terms of delivery and services provided are based solely on the terms of the contract. Technical data and illustration are only for reference. We reserve the rights of changing.

TSD-2021-12

